

Honors Algebra 2
Final Exam Review

Name _____

<p>1. Divide. $(x^3 + 5x^2 - 7x + 2) \div (x + 2)$</p>	<p>2. Find the quotient. $(2x^3 + 17x^2 + 23x - 42) \div (2x + 7)$</p>
<p>3. Subtract. $(9z^2 + 3z - 7) - (4z^2 - 8z + 9)$</p>	<p>4. Multiply. $(3x + 8)(4x - 2)(5x + 7)$</p>
<p>5. Simplify. $\left(\frac{(x^2y^{-3})}{(xy^4)^{-1}} \right)^5$</p>	<p>6. Simplify. $(-2a^5b^3)^6 \cdot (-4a^5b^6)^{-3}$</p>
<p>7. Solve. $3x^5 + 15x = 18x^3$</p>	<p>8. Write the answer in scientific notation. $(3.2 \times 10^5)(7 \times 10^{-2})$</p>

9. Factor completely. $2z^4 - 1250$

10. Factor completely. $d^4 - 7d^2 + 10$

11. Factor completely.
 $x^5 - 25x^3 + 64x^2 - 1600$

12. Find all the factors, zeros, and x-intercepts.
 $f(x) = x^3 - 6x^2 + 4x - 24$

13. Find all the factors, zeros, and x-intercepts.
 $f(x) = x^4 + 2x^3 - 5x^2 - 12x - 4$

14. Find all the factors, zeros, and x-intercepts.
 $f(x) = x^4 + 5x^3 + 4x^2 + 20x$

15. Find the value of k so the remainder is 7.
 $(x^3 + kx^2 - 9) \div (x + 2)$

16. Find the value of k so the remainder is 1.
 $(x^2 + 3x + 3) \div (x - k)$

17.

Degree: Even / Odd

Leading Coefficient: Positive / Negative

How many Relative Maxima:


How Many Relative Minima:

Least Degree of the polynomial:

Real Zeros:

Known factors based on the real zeros:

Domain and Range:



18. Write a polynomial function of least degree with a leading coefficient of 1 given the following zeros: -4 , $7 - \sqrt{5}$

19. Write a polynomial function of least degree with a leading coefficient of 1 given the following zeros: 0 (double), $3 + 2i$

20. Given the functions, perform the indicated operations.

$$f(x) = x + 8 \quad g(x) = x^2 - 9 \quad h(x) = 2x + 1$$

a) $[h \ g](3)$

b) $[g \ f \ h](x)$

c) $f(x) - g(x)$

21. Simplify.

$$\sqrt[3]{\frac{343a^{12}b^9}{27c^2}}$$

22. Simplify.

$$\frac{x^{-\frac{1}{3}} + 3x^{\frac{1}{3}}}{\sqrt[3]{x^{-2}}}$$

23. Simplify. $\sqrt[5]{4\sqrt{x^{40}}}$

24. Simplify. $\sqrt{49x^2 + 56x + 16}$

25. Solve. $\sqrt{2x+1} = x+5$

26. Solve. $\frac{1}{3}(2x+4)^{\frac{2}{3}} = \frac{16}{3}$

27. Solve. $\sqrt{5x+6} + 3 = \sqrt{3x+3} + 4$

28. Solve. $\sqrt{k+25} - \sqrt{k} > \sqrt{5}$

29. Solve. $\sqrt{x+10} + \sqrt{x-6} < 8$

30. Find the inverse of $f(x) = 16(x+6)^2 - 9$

31. Find the inverse of $g(x) = \frac{2x^3 - 6}{9}$

32. Verify algebraically that the following functions are inverses of each other.

$$f(x) = 3x + 9 \quad g(x) = \frac{1}{3}x - 3$$

33. Use $\log_9 7 \approx 0.8856$ and $\log_9 4 \approx 0.6309$ to evaluate the following:

a) $\log_9 \frac{7}{4}$

b) $\log_9 28$

c) $\log_9 324$

d) $\log_9 \frac{112}{36}$

34. Evaluate. $7^{\log_7(x-5)}$

35. Evaluate. $\log_7 \sqrt[9]{7}$

36. Evaluate. $\log_8(\log_5 5)$

37. Evaluate. $\log_2 \frac{1}{64}$

38. Solve. $\log_6(7x - 11) = \log_6(2x + 9)$

39. Solve. $\log_7(x^2 + 6x) = \log_7(x - 4)$

40. Solve. $\log_{16}(9x + 5) - \log_{16}(x^2 - 1) = \frac{1}{2}$

41. Solve. $5^{3x} = 4^{x+3}$

42. Solve. $\log_4(5 - x)^3 = 6$

43. Solve. $\log_9 x = \frac{1}{3} \log_9 64 + \frac{1}{4} \log_9 81$

44. Solve. $\log_4 16 - \log_4 \frac{1}{4} + \log_4 5 = \log_4 3x$

45. Solve.
 $\log_6(3m + 7) - \log_6(m + 4) = 2\log_6 6 - 3\log_6 3$

46. Graph $y = \log_{\frac{1}{2}}(x + 3)$.

Domain:

Range:

x-intercept(s):


y-intercept(s):

Horizontal Asymptote(s):

Vertical Asymptote(s):

End Behavior:

x	y



47. Rewrite the following function in $f(x) = ab^x$ form using properties of exponents. State if it is a growth or decay exponential function.

$$f(x) = \frac{1}{4} \cdot 2^{-x-1}$$

48. Rewrite the following function in $f(x) = ab^x$ form using properties of exponents. State if it is a growth or decay exponential function.

$$f(x) = 2\left(27\right)^{\frac{x}{3}}$$

49. Write an exponential function whose graph passes through the points: $(-3, 243)$ $(0, \frac{1}{3})$

50. Write an exponential function whose graph passes through the points: $(1, 1.25)$ $(3, 31.25)$

51. Given the parent function $f(x) = \left(\frac{1}{6}\right)^x$, write the equation for the function $g(x)$ after each of the following transformations.

- a) Vertically stretch by a factor of 4, shifted down 3 units, and reflected over the y-axis.
- b) Horizontally compress by a factor of $\frac{1}{5}$ and reflected over the x-axis.
- c) Horizontally stretched by a factor of 8 and shifted down 3 units.

52. Graph $f(x) = 2^{(x-1)} - 3$

Domain:

Range:

x-intercept(s):


y-intercept(s):

Horizontal Asymptote(s):

Vertical Asymptote(s):

End Behavior:

x	y



53. Graph $f(x) = \left(\frac{1}{3}\right)^{(x+2)} - 4$

Domain:

Range:

x-intercept(s):


y-intercept(s):

Horizontal Asymptote(s):


Vertical Asymptote(s):

End Behavior:

x	y



54. $f(x) = \left(\frac{1}{3}\right)^x$




Transformation: Reflect the graph over the x-axis.

a. How did the coordinates change?


b. What equation would result from the transformation?

c. Complete the table.

x				
y				



55. $f(x) = 2^x$




Transformation: Horizontally stretch by a factor of 3.

a. How did the coordinates change?

b. What equation would result from the transformation?

c. Complete the table.

x				
y				




56. In 1992, 1,219 monk parakeets were observed in the United States. For the next 11 years, about 12% more parakeets were observed each year. Use the formula $A = P(1 \pm r)^n$.

- Write an exponential function showing the growth of the parakeets.
- In 1998, about how many parakeets were observed in the US?
- In what year were 1,712 parakeets observed?

57. Graph the function. State the domain, range, x-intercept(s), y-intercept(s), vertical asymptote(s), and horizontal asymptote(s).

$$f(x) = \frac{3x^2}{x^2 - 16}$$



VA: _____

HA: _____

x-intercept(s): _____


y-intercept(s): _____

Domain: _____

Range: _____

58. Graph the function. State the domain, range, x-intercept(s), y-intercept(s), vertical asymptote(s), and horizontal asymptote(s).

$$f(x) = \frac{2x + 4}{x^2 - 9}$$



VA: _____

HA: _____

x-intercept(s): _____

y-intercept(s): _____

Domain: _____

Range: _____

59. Simplify. $\frac{x + 5}{x^2 + 10x + 25} \cdot \frac{2x + 10}{3x + 15}$

60. Simplify. $\frac{3x^2 - 3}{2x^2 + 8x + 6} \div \frac{5x^2 - 10x + 5}{4x + 12}$

61. Simplify.
$$\frac{\frac{3}{x-2} - \frac{6}{x^2-4}}{\frac{3}{x+2} + \frac{1}{x-2}}$$

62. Simplify.
$$\frac{16x^2}{4x-8} \div \frac{x}{x^2-4} \cdot \frac{8}{x+2}$$

63. Simplify.
$$\frac{x+1}{x^2+4x+4} - \frac{6}{x^2-4}$$

64. Simplify.
$$\frac{\frac{r+6}{r} - \frac{1}{r+2}}{\frac{r^2+4r+3}{r^2+r}}$$

65. Solve.
$$\frac{18}{x^2-3x} - \frac{6}{x-3} = \frac{5}{x}$$

66. Solve.
$$\frac{x+2}{2x+1} = \frac{x}{3} + \frac{3}{4x+2}$$

67. Solve.
$$\frac{1}{4x-3} + \frac{5}{x} = 27$$

68. Solve.
$$\frac{3}{x-4} - \frac{1}{x+4} \leq \frac{40}{x^2-16}$$